

**IN THE CLAIMS:**

Please amend the claims as follows:

1 1. (Currently amended) A system for clinical research data management system for a  
2 plurality of users, comprising:  
3 a computer system operable to service user requests and provide users with information  
4 responsive to the user requests, the computer system being further operable to deliver electronic  
5 message between at least two users; and  
6 a database coupled to the computer system and populated with study information of one  
7 or more studies which includes, wherein the database is operable to store user data and study data,  
8 the study information being accessible from the database for obtaining the responsive  
9 information, wherein the study data includes including candidate data, specimen data, event data,  
10 and at least one dataset, and wherein the dataset is defined using metadata, wherein the computer  
11 system is further operable to limit communication of electronic messages between users to those  
12 users having a specific role in connection with a specific study.

1 2. (Currently amended) The system of claim 1 wherein the event data includes data of  
2 events that are scheduled events, unscheduled events, or both.

1 3. (Currently amended) The system of claim 1 wherein each study has one or more  
2 scheduled events that are associated with a subject or a patient in the study and are defined at a  
3 time that the study to which they belong is defined~~the computer system is operable to send and~~  
4 ~~receive electronic messages between at least two users.~~

1 4. (Currently amended) The system of claim 3 ~~2~~ further comprising a menu for adding  
2 unscheduled events associated with a subject or patient in a particular study and viewing status of  
3 event data in that study~~wherein the computer system is operable to limit communication of~~  
4 ~~electronic messages between users having a specific role in connection with a specific study.~~

1 5. (Original) The system of claim 1 wherein the candidate data includes data relating to a  
2 plurality of candidates and the specimen data includes data relating to a plurality of specimens  
3 wherein the system is operable to associate each specimen with a candidate.

- 1 6. (Original) The system of claim 1 wherein the user data includes at least one  
2 associated with each user.
- 1 7. (Currently amended) The system of claim ~~1-6~~ wherein ~~the user data includes at least one~~  
2 ~~role associated with each user, wherein the~~each role is selected from the group of data monitor,  
3 enroller, data editor, study administrator, system administrator, and user administrator.
- 1 8. (Previously Presented) The system of claim 6 wherein the role defines data access rights  
2 granted at a dataset definition level, data item definition level, or both.
- 1 9. Cancelled.
- 1 10. Cancelled.
- 1 11. (Previously Presented) The system of claim 6 wherein the database is operable to identify  
2 at least a portion of the user data as privacy data and wherein the role defines a user's capability  
3 to view privacy data.
- 1 12. (Original) The system of claim 1 wherein the database includes at least one display form  
2 associated with the dataset and wherein the display form is defined using metadata.
- 1 13. (Original) The system of claim 1 wherein the database includes at least two display forms  
2 associated with the dataset and wherein the display forms are defined using metadata.
- 1 14. (Original) The system of claim 13 wherein a first display form is formatted to render the  
2 dataset on a first display device, and a second display form is formatted to render the dataset on a  
3 second display device.
- 1 15. (Original) The system of claim 13 wherein a first display form is formatted to render the  
2 dataset in a first language, and a second display form is formatted to render the dataset in a  
3 second language.
- 1 16. (Original) The system of claim 1 wherein the database stores an audit record of data  
2 access including information relating to the data accessed, user, date and time.

1 17. (Original) The system of claim 1 wherein at least a portion of the user data or study data  
2 is stored in the database in an encrypted format.

1 18. (Currently amended) A method for clinical research data management method for a  
2 plurality of users, comprising:  
3 defining in a computer system at least one dataset using metadata; ~~and~~  
4 storing ~~user data and study data~~ in a database coupled to ~~a~~ the computer system study  
5 information of one or more studies which includes user data and study data, wherein the study  
6 data includes candidate data, specimen data, event data and the at least one dataset; and  
7 limiting, via the computer system, communication of messages between users based on  
8 their role in any particular study.

1 19. (Currently amended) The method of claim 18 wherein the event data includes data of  
2 events that are scheduled events, unscheduled events, or both.

1 20. (Currently amended) The method of claim 18 wherein each study has one or more  
2 scheduled events that are associated with a subject or patient in the study and are defined at a time  
3 that the study to which they belong is defined ~~the computer system is operable to send and~~  
4 ~~receive electronic messages between at least two users.~~

1 21. (Currently amended) The method of claim 20 ~~wherein the computer system is operable to~~  
2 ~~limit communication of electronic messages between users having a specific role in connection~~  
3 ~~with a specific study~~ further comprising displaying a menu for adding unscheduled events  
4 associated with the subject or patient and for viewing status of the event data in the study.

1 22. (Original) The method of claim 18 wherein the candidate data includes data relating to a  
2 plurality of candidates and the specimen data includes data relating to a plurality of specimens  
3 wherein the system is operable to associate each specimen with a candidate.

1 23. (Original) The method of claim 18 wherein the user data includes at least one role  
2 associated with each user.

1 24. (Currently amended) The method of claim ~~18-23~~ wherein ~~the user data includes at least~~  
2 ~~one role associated with each user, wherein the role is selected from the group of data monitor,~~  
3 enroller, data editor, study administrator, system administrator, and user administrator.

1 25. (Previously Presented) The method of claim 23 wherein the role defines data access  
2 rights granted at a dataset definition level, data item definition level, or both.

1 26. Cancelled.

1 27. Cancelled.

1 28. (Previously Presented) The method of claim 23 wherein the database is operable to  
2 identify at least a portion of the user data as privacy data and wherein the role defines a user's  
3 capability to view privacy data.

1 29. (Original) The method of claim 18 wherein the database includes at least one display  
2 form associated with the dataset and wherein the display form is defined using metadata.

1 30. (Original) The method of claim 18 wherein the database includes at least two display  
2 forms associated with the dataset and wherein the display forms are defined using metadata.

1 31. (Original) The method of claim 18 wherein a first display form is formatted to render the  
2 dataset on a first display device, and a second display form is formatted to render the dataset on a  
3 second display device.

1 32. (Original) The method of claim 18 wherein a first display form is formatted to render the  
2 dataset in a first language, and a second display form is formatted to render the dataset in a  
3 second language.

1 33. (Original) The method of claim 18 wherein the database stores an audit record of data  
2 access including information relating to the data accessed, user, date and time.

1 34. (Currently amended) A system for clinical research data management ~~system~~ for a  
2 plurality of users, comprising:

3 a computer system operable to service user requests and provide users with information  
4 responsive to the user requests; and  
5 a database coupled to the computer system, wherein the database is operable to store user  
6 data and study data relating to ~~a plurality of one or more~~ studies, wherein study data includes  
7 candidate data, specimen data, event data and at least one dataset, wherein user data includes at  
8 least one role associated with each user, ~~and~~ wherein the role defines data access rights granted at  
9 a dataset definition level, data item definition level, or both, and wherein delivery by the  
10 computer system of messages between users is restricted based on their associated roles.

1 35. (Currently amended) A system for clinical research data management ~~system~~ for a  
2 plurality of users, comprising:

3 a computer system operable to service user requests and provide users with information  
4 responsive to the user requests, and  
5 a database coupled to the computer system, wherein the database is operable to store user  
6 data and study data relating to ~~a plurality of one or more~~ studies, wherein study data includes  
7 candidate data, specimen data, event data and at least one dataset, wherein user data includes at  
8 least one role associated with each user and wherein the computer system is operable to limit  
9 communication of electronic messages between users to those users having a specific role in  
10 connection with a specific study.

1 36. (Currently amended) A system for clinical research data management ~~system~~ for a  
2 plurality of users, comprising:

3 ~~a means~~ for servicing user requests and providing users with information responsive to  
4 the user requests, the servicing means being operative to deliver messages between users; and  
5 a database coupled to the servicing means and populated with study information of one or  
6 more studies which includes for storing user data and study data, the study information being  
7 accessible from the database for obtaining the responsive information, wherein the study data  
8 ~~includes including~~ candidate data, specimen data, event data and at least one dataset, ~~and~~ wherein  
9 the dataset is defined using metadata, and wherein the servicing means is further operative to  
10 limit communication of messages between users to those users having a specific role in  
11 connection with a specific study.

1 37. (Currently amended) A system for clinical research data management ~~system~~ for  
2 administering a plurality of studies, comprising:

~~\_\_\_\_\_ the system having~~ a computer system operable to service user requests and provide users with information responsive to the user requests;  
~~\_\_\_\_\_ and~~ a database with a flexible database structure that facilitates the study definition process for ~~a variety of various~~ studies; ~~the system comprising:~~  
presentation creation means operable to provide users with dynamic information;,  
application control and navigation means operable to service user requests; and  
data access means operable to access information that resides in ~~a system~~ the database, ~~wherein the database is being~~ operable to store user data and study data ~~and~~, wherein the study data includes candidate data, specimen data, event data and at least one dataset which and wherein the dataset is defined using metadata, wherein user data includes at least one role associated with each user and wherein the computer system is operable to limit communication of electronic messages between users those users having a specific role in connection with a specific study.

38. (Previously Presented) The system of claim 37 further comprising:  
application and data security means operable to limit users access to information in the system database.

39. (Previously Presented) A system as in claim 1, wherein the database has tables with fields associated with one or more of dataset definitions, dataset storage, dataset display, data item definitions, capabilities and roles, and events.

40. (Previously Presented) A method as in claim 18, wherein the database has tables with fields associated with one or more of dataset definitions, dataset storage, dataset display, data item definitions, capabilities and roles, and events.

41. (Previously Presented) A system as in claim 34, wherein the database has tables with fields associated with one or more of dataset definitions, dataset storage, dataset display, data item definitions, capabilities and roles, and events.

42. (Previously Presented) A system as in claim 35, wherein the database has tables with fields associated with one or more of dataset definitions, dataset storage, dataset display, data item definitions, capabilities and roles, and events.

1 43. (Previously Presented) A system as in claim 36, wherein the database has tables with  
2 fields associated with one or more of dataset definitions, dataset storage, dataset display, data  
3 item definitions, capabilities and roles, and events.

1 44. (Currently amended) A method as in claim 40, wherein each of the events relates to an  
2 occurrence in time of an interaction with a study subject or patient for which the at least one  
3 dataset is collected.

1 45. (Currently Amended) A method as in claim 40, wherein an event is an initial visit, a  
2 surgery, or a follow up visit or treatment.

1 46. (Previously Presented) A method as in claim 40 further comprising tracking the events,  
2 wherein each of the events is either scheduled or unscheduled such that, if scheduled, the events  
3 are predefined, wherein each of the events has a status associated therewith for tracking progress.

1 47. (Currently amended) A system for clinical research data management, comprising:  
2 \_\_\_\_\_ a multi-tiered computer application including:  
3 a client tier having presentation, presentation logic and user interface portions,  
4 a middle tier including application control, business logic and data access  
5 portions, and  
6 a data tier including a database and database management portion, wherein the  
7 database is configured for storing user data and study data, ~~wherein the study data includes~~  
8 including candidate data, specimen data, event data and at least one dataset, and wherein the  
9 dataset is defined using metadata, wherein user data includes at least one role associated with  
10 each user and wherein the computer system is operable to limit communication of electronic  
11 messages between users having a specific role in connection with a specific study; and  
12 \_\_\_\_\_ a channel for communicating data including a data network, wherein the client tier,  
13 middle tier and data tire are linked via the channel and enabling access and interaction for clinical  
14 research by geographically disparate users.

1 48. (Previously Presented) A method in a computerized system for clinical research data  
2 management, comprising:  
3 defining roles for a clinical study and assigning respective ones of the roles to users of the  
4 system for clinical research data management;

managing role-based authentication and authorization, wherein a role has capabilities commensurate therewith;  
defining one or more datasets for the clinical study using metadata;  
defining a schedule of events for the clinical study, wherein an event has a status associated therewith;  
storing the datasets in a database within the system for clinical research data management, the database being configured for maintaining clinical study data including user information, roles, capabilities, candidate data, specimen data, and event data;  
imposing role-based restrictions on user access to the clinical study data and on communications between users;  
maintaining the status of events by tracking their occurrence and, thereby, monitoring progress of the clinical study.

49. (Previously Presented) A method as in claim 48 wherein imposing the restrictions on access includes maintaining an audit trail that records users' access information.

50. (Previously Presented) A method as in claim 49, wherein the access information includes user's identity, time of access, type of access and level of access.

51. (Previously Presented) A method as in claim 50, wherein a dataset includes data items, and wherein the level of access is a dataset level, data item level, or both.

52. (Previously Presented) A method as in claim 48, wherein the roles include data monitor, enroller, data editor, study administrator and system administrator.

53. (Previously Presented) A method as in claim 48, wherein each capability maps to a functional portion of the system for clinical research data management.

54. (Previously Presented) A method as in claim 53, wherein the functional portions include one or more of backup database, create study, deploy study, close study, open enrollment, close enrollment, define business rules, enroll subject, disenroll subject, view enrollee, export enrollee list, create profile, disable profile, assign role, disable role, export collaborator list, delete user, approve dataset, retract approval, view data, edit dataset, add dataset, suspend edit capabilities, reinstate edit capabilities, export dataset.



- 1 55. (Previously Presented) A method as in claim 48, further comprising deploying for the
- 2 clinical study one or more functional elements of the system for clinical research data
- 3 management including login, candidate registration, specimen registration, study administration,
- 4 data monitoring, data administration, data editing, and communication.